GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Labour Employment Training & Factories Department - The Boilers Act, 1923 and Indian Boiler Regulations, 1950 – Boiler No. AP/4995 at Dr. Narla Tata Rao Thermal Power Station, Ibrahimpatnam, Krishna District – Exemption from Sub-Section (c) of Section 6 of the Boilers Act, 1923 for a period of 6 (six) months from 02.6.2017 to 01.12.2017 – Orders - Issued.

LABOUR EMPLOYMENT TRAINING & FACTORIES (Lab-II) DEPARTMENT

G.O.RT.No. 534 Dated: 03-08-2017

Read the following:

From the Director of Boilers, Andhra Pradesh, Vijayawada, Lr.No. C2/3668/2017, Dt:09.06.2017.

***

ORDER:

The Following notification shall be published in the next issue of the Andhra Pradesh Gazette.

NOTIFICATION

In exercise of the powers conferred under sub-section (2) of Section 34 of the Indian Boilers Act, 1923, Government of Andhra Pradesh hereby exempts the Boiler No. AP/4995 of M/s Dr. Narla Tata Rao Thermal Power Station, Ibrahimpatnam, Krishna District from the provisions of sub-section (c) of section 6 of the Indian Boilers Act for a period of 6(six) months from 02.06.2017 to 01.12.2017, subject to the following conditions:

1. The inspection fee of Rs. 1,61,500/- paid on 08.05.2017 is adjusted towards, inspection of Boiler and Steam pipe line during working carried out on 06.06.2017 for the purpose of exemption.

2. During the exemption period, the Boiler shall be used in accordance to the provisions of the Boilers Act, the Boiler Attendant's Rules and the Boiler Operation Engineer's Rules.

3. Any repair during the period of exemption shall be carried out only after obtaining the permission from the Director of Boilers, Andhra Pradesh, Amaravati.

4. No further exemption shall be granted to the Boiler. After the exemption period, the Boiler shall be offered for inspection.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

NEERABH KUMAR PRASAD
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
The Commissioner, Printing & stores Purchase, Andhra Pradesh, Vijayawada, for publication in Andhra Pradesh Gazette.(with a request to furnish 20 copies to this Department).
The Director of Boilers, Andhra Pradesh, Vijayawada.
The O.S.D to M (LET&B).
The P.S to Special Chief Secretary to Government, LET&F Department.
M/s, Dr. Narla Tata Rao Thermal Power Station, Ibrahimpatnam,
Krishna District, Andhra Pradesh.
SF/SC.

//FORWARDED :: BY ORDER//

SECTION OFFICER